Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L13	3953	(voltage adj (transformer coil limiter)) same (voltage near2 (check$3 detect$3 sens$3 measur$5 comput$3 calculat$3 $2valuat$3 examin$5 test$3 determin$3 recogniz$3 inspect$3 anal$5 monitor$3 diagnos$3 identif$7))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/20 12:26
L14	3697	l13 and @ad<"20030910"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/20 14:14
L15	53	l14 and first adj secondary adj (winding coil)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/20 12:27
L16	41	l15 and second adj secondary adj (winding coil)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/20 12:27
L17	16	l16 and bridge same (winding coil)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/20 12:28
L18	16173	converter same bridge	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/20 12:08
L19	202647	voltage near2 (detect$3 sens$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/20 14:13

L20	190953	l19 and @ad<"20030910"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/20 15:06
L22	5733	l20 and (voltage adj (transformer coil limiter))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/20 15:16
L23	100	l22 and first adj secondary adj (winding coil)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/20 14:14
L24	87	l23 and second adj secondary adj (winding coil)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/20 14:29
L25	38	l24 and bridge same (winding coil)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/20 14:15
L26	634	(voltage near2 (detect$3 sens$3)) near5 (primary adj (winding coil))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/20 15:19
L27	606	l26 and @ad<"20030910"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/20 14:27

L28	114	l27 and (voltage adj (transformer coil limiter))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/20 14:46
L29	6	l28 and first adj secondary adj (winding coil)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/20 14:29
L30	6	l29 and second adj secondary adj (winding coil)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/20 14:23
L31	3	l30 and bridge same (winding coil)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/20 14:29
L32	3453	(voltage near2 (detect$3 sens$3)) same (primary adj (winding coil))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/20 14:26
L33	3292	l32 and @ad<"20030910"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/20 14:27
L34	3292	l33 and (primary adj (winding coil))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/20 14:27

L35	525	l34 and (voltage adj (transformer coil limiter))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/20 14:54
L36	34	l35 and first adj secondary adj (winding coil)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/20 14:55
L37	25	l36 and second adj secondary adj (winding coil)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/20 14:55
L38	11	l37 and bridge same (winding coil)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/20 14:56
L39	6	(("5371469") or ("5686826") or ("6098464")).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/20 14:36
L40	2102	(363/17,25,98,132.ccls.) and @ad<"20030910"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/20 14:52
L41	269	l40 and (voltage adj (transformer coil limiter))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/20 14:54

L42	488	(323/264,266,348,908.ccls.) and @ad<"20030910"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/20 14:54
L43	44	l42 and (voltage adj (transformer coil limiter))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/20 14:54
L44	20	l41 and first adj secondary adj (winding coil)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/20 15:07
L45	4	l43 and first adj secondary adj (winding coil)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/20 14:55
L46	20	l44 and second adj secondary adj (winding coil)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/20 14:55
L47	3	l45 and second adj secondary adj (winding coil)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/20 15:07
L48	2	l47 and bridge same (winding coil)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/20 14:56

L49	19	l46 and bridge same (winding coil)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/20 15:08
L50	13735	l18 and @ad<"20030910"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/20 15:16
L51	839	l50 and (voltage adj (transformer coil limiter))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/20 15:07
L52	35	l51 and first adj secondary adj (winding coil)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/20 15:17
L53	32	l52 and second adj secondary adj (winding coil)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/20 15:17
L54	28	l53 and bridge same (winding coil)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/20 15:19
L55	29516	(voltage adj (transformer coil limiter))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/20 15:16

L56	26750	l55 and @ad<"20030910"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/20 15:16
L57	325	l56 and first adj secondary adj (winding coil)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/20 15:17
L58	281	l57 and second adj secondary adj (winding coil)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/20 15:18
L59	155	l58 and (secondary adj (winding coil)) same (primary adj (winding coil)) same (ratio turn number)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/20 15:36
L60	52	l59 and bridge same (winding coil)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/20 15:59
L61	24	l60 and (voltage near2 (detect$3 sens$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/20 15:33
L63	87	l58 and (secondary adj (winding coil)) same (primary adj (winding coil)) same (ratio (number adj2 turn))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/20 15:25

L64	31	l63 and bridge same (winding coil)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/20 15:25
L65	13	l64 and (voltage near2 (detect$3 sens$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/20 15:25
L66	1	l61 and bifilar	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/20 15:34
L67	6	l58 and (secondary adj (winding coil)) same bifilar	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/20 15:36
L68	4	l58 and (secondary adj (winding coil)) with bifilar	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/20 15:58
L69	88	l58 and (secondary adj (winding coil)) with resist$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/20 15:58
L70	32	l69 and bridge same (winding coil)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/20 15:59

L71	14	I70 and bridge with resist$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/20 15:59
S1	138	(324/648,647.ccls.) and @ad<"20030910"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/20 14:42
S2	171	(324/629,600.ccls.) and @ad<"20030910"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/20 11:57
S3	1	S1 and (voltage adj (transformer coil))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/19 08:26
S4	2	S2 and (voltage adj (transformer coil))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/19 08:26
S5	1136	(voltage adj2 (transformer coil)) with temperature	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/19 08:29
S6	1073	S5 and @ad<"20030910"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/19 09:16

S7	16	S6 and (dependen$3 near2 temperature) near5 (output adj voltage)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/19 10:03
S8	6	S7 and primary adj (winding coil)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/19 08:31
S9	6	S8 and secondary adj (winding coil)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/19 08:45
S10	2	S9 and bridge	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/19 08:32
S11	2	S9 and bridge same (winding coil)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/19 10:03
S12	6	S6 and first adj secondary adj (winding coil)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/19 10:02
S13	5	S12 and second adj secondary adj (winding coil)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/19 10:02

S15	1	("20050077910").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/19 09:17
S16	53	(voltage adj (transformer coil limiter)) same (dependen$3 near2 temperature)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/20 11:55
S17	47	S16 and @ad<"20030910"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/19 10:01
S18	29516	(voltage adj (transformer coil limiter))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/19 10:01
S19	26750	S18 and @ad<"20030910"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/19 10:01
S20	325	S19 and first adj secondary adj (winding coil)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/20 11:57
S21	281	S20 and second adj secondary adj (winding coil)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/20 11:58

S22	102	S21 and bridge same (winding coil)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/20 12:01
S23	18	S19 and (dependen$3 near2 temperature) near5 (output adj voltage)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/19 10:41